Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

This is an amended version of report# 22-004239/D002.R000.
Reason: Report includes additional testing.

Customer: IHC LLC
Product identity: 03GMY306
Client/Metrc ID: .
Laboratory ID: 22-004239-0001

Summary

Potency:

Analyte per 3.5g	Result	Limits	Units	Status
CBN per 3.5g	0.202		mg/3.5g	
Δ8-THC per 3.5g†	26.8		mg/3.5g	

CBD-Total per 3.5g	<LOQ
THC-Total per 3.5g	<LOQ

(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Customer: IHC LLC
825 NW 16th Ave
Portland Oregon 97209
United States of America (USA)

Product identity: 03GMY306
Client/Metrc ID: .
Sample Date:
Laboratory ID: 22-004239-0001
Evidence of Cooling: No
Temp: 19.7 °C
Relinquished by: Client
Serving Size #1: 3.5 g

THE HEMP COLLECT

Sample Results

Potency per 3.5g **Method** J AOAC 2015 V98-6 (mod) **Units** mg/se **Batch:** 2203283 **Analyze:** 4/15/22 9:35:00 PM

Analyte	Result	Limits	Units	LOQ	Notes
CBC per 3.5g†	< LOQ		mg/3.5g	0.109	
CBC-A per 3.5g†	< LOQ		mg/3.5g	0.109	
CBC-Total per 3.5g†	< LOQ		mg/3.5g	0.205	
CBD per 3.5g	< LOQ		mg/3.5g	0.109	
CBD-A per 3.5g	< LOQ		mg/3.5g	0.109	
CBD-Total per 3.5g	< LOQ		mg/3.5g	0.205	
CBDV per 3.5g†	< LOQ		mg/3.5g	0.109	
CBDV-A per 3.5g†	< LOQ		mg/3.5g	0.109	
CBDV-Total per 3.5g†	< LOQ		mg/3.5g	0.204	
CBE per 3.5g†	< LOQ		mg/3.5g	0.109	
CBG per 3.5g†	< LOQ		mg/3.5g	0.109	
CBG-A per 3.5g†	< LOQ		mg/3.5g	0.109	
CBG-Total per 3.5g†	< LOQ		mg/3.5g	0.204	
CBL per 3.5g†	< LOQ		mg/3.5g	0.109	
CBL-A per 3.5g†	< LOQ		mg/3.5g	0.109	
CBL-Total per 3.5g†	< LOQ		mg/3.5g	0.205	
CBN per 3.5g	0.202		mg/3.5g	0.109	
CBT per 3.5g†	< LOQ		mg/3.5g	0.109	
Δ8-THCV per 3.5g†	< LOQ		mg/3.5g	0.109	
Δ8-THC per 3.5g†	26.8		mg/3.5g	0.109	
Δ9-THC per 3.5g	< LOQ		mg/3.5g	0.109	
exo-THC per 3.5g†	< LOQ		mg/3.5g	0.109	
THC-A per 3.5g	< LOQ		mg/3.5g	0.109	
THC-Total per 3.5g	< LOQ		mg/3.5g	0.205	
THCV per 3.5g†	< LOQ		mg/3.5g	0.109	
THCV-A per 3.5g†	< LOQ		mg/3.5g	0.109	
THCV-Total per 3.5g†	< LOQ		mg/3.5g	0.205	
Total Cannabinoids per 3.5g	27.0		mg/3.5g		

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2203402	04/24/22	AOAC 2014.05 (RAPID)		X, I
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2203402	04/24/22	AOAC 2014.05 (RAPID)		X, I

Solvents

Method Residual Solvents by GC/MS **Units** µg/g **Batch** 2203504 **Analyze** 04/25/22 11:09 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Pesticides

Method AOAC 2007.01 & EN 15662 (mod) **Units** mg/kg **Batch** 2203522 **Analyze** 04/25/22 03:22 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0168	2203266	04/16/22	AOAC 2013.06 (mod.)	pass	X
Cadmium	< LOQ	0.200	mg/kg	0.0168	2203266	04/16/22	AOAC 2013.06 (mod.)	pass	X
Lead	< LOQ	0.500	mg/kg	0.0168	2203266	04/16/22	AOAC 2013.06 (mod.)	pass	X
Mercury	< LOQ	0.100	mg/kg	0.00840	2203266	04/16/22	AOAC 2013.06 (mod.)	pass	X

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Aflatoxin B2†	< LOQ		µg/kg	5.00	2203475	04/22/22	AOAC 2007.01 & EN 15		
Aflatoxin B1†	< LOQ		µg/kg	5.00	2203475	04/22/22	AOAC 2007.01 & EN 15		
Aflatoxin G1†	< LOQ		µg/kg	5.00	2203475	04/22/22	AOAC 2007.01 & EN 15		
Aflatoxin G2†	< LOQ		µg/kg	5.00	2203475	04/22/22	AOAC 2007.01 & EN 15		
Deoxynivalenol†	< LOQ		µg/kg	200	2203475	04/22/22	AOAC 2007.01 & EN 15		
Fumonisin B1†	< LOQ		µg/kg	200	2203475	04/22/22	AOAC 2007.01 & EN 15		
Fumonisin B2†	< LOQ		µg/kg	200	2203475	04/22/22	AOAC 2007.01 & EN 15		
HT2-Toxin†	< LOQ		µg/kg	40.0	2203475	04/22/22	AOAC 2007.01 & EN 15		
Ochratoxin A†	< LOQ		µg/kg	5.00	2203475	04/22/22	AOAC 2007.01 & EN 15		
Ochratoxin B†	< LOQ		µg/kg	2.00	2203475	04/22/22	AOAC 2007.01 & EN 15		
T2-Toxin†	< LOQ		µg/kg	20.0	2203475	04/22/22	AOAC 2007.01 & EN 15		
Zearalenone†	< LOQ		µg/kg	200	2203475	04/22/22	AOAC 2007.01 & EN 15		

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-004239/D002.R001
Report Date:	04/27/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	04/13/22 16:49

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram
g = g
µg/g = Microgram per gram
µg/kg = Micrograms per kilogram = parts per billion (ppb)
mg/kg = Milligram per kilogram = parts per million (ppm)
mg/3.5g = Milligram per 3.5g
% = Percentage of sample
% wt = µg/g divided by 10,000

Glossary of Qualifiers

I: Insufficient sample received to meet method requirements.
X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Columbia LABORATORIES
A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products
Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021
ORELAP ID: OR100028

Company: The Hemp Collect
Contact: Kyle Farook
Street: 431 NW Flanders st.
City: Portland State: OR Zip: 97209
☐ Email Results: kyle@thehempcollect.com
Ph: (61) 608164 ☐ Fx Results: (___)
Billing (if different):

PO Number:
Project Number:
Project Name:
Custom Reporting:
Report to State - ☐ METRC or ☐ Other:
Turnaround time: ☐ 5 Business Day Standard Turnaround
☑ 3 Business Day Rush Turnaround*
☐ 2 Business Day Rush Turnaround*
*Check for availability
Sampled by:

Lab ID	Client Sample Identification	Date	Time	Pesticides – OR 59 compounds	Pesticide Multi-Residue – 379 compounds	Potency	Residual Solvents	Moisture & Water Activity	Terpenes	Micro: Yeast and Mold	Micro: *E.Coli* and Total Coliform	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/Metrc ID
1	03GMY306	4/13				X						X					-Unit serving size: 3.5g -Enough sample given for full panel, but only want ptency & HM for now. Pending results, will want to use the rest of the sample for a full panel test.
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Relinquished By:	Date	Time	Received By:	Date	Time
Kyle Farook	4/13	4:45	DS	4/13/22	16:49

Lab Use Only:
☐ Shipped Via: _____ or ☑ Client drop
Evidence of cooling: ☐ Yes | ☑ No - Temp (°C): 19.7°C
Sample in good condition: ☑ Yes | ☐ No
☐ Cash | ☐ Check | ☐ CC | ☐ Net: _____
Prelog storage: _____

† - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms

12423 NE Whitaker Way
Portland, OR 97230
P: (503) 254-1794 | Fax: (503) 254-1452
info@columbialaboratories.com
www.columbialaboratories.com

Page ____ of ____

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2203283**

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.0344	0.033	%	103	80.0 - 120	Acceptable	
CBDV	0.0364	0.033	%	109	80.0 - 120	Acceptable	
CBE	0.0344	0.033	%	103	80.0 - 120	Acceptable	
CBDA	0.0339	0.033	%	102	90.0 - 110	Acceptable	
CBGA	0.0327	0.033	%	98.2	80.0 - 120	Acceptable	
CBG	0.0323	0.033	%	96.9	80.0 - 120	Acceptable	
CBD	0.0334	0.033	%	100	90.0 - 110	Acceptable	
THCV	0.0346	0.033	%	104	80.0 - 120	Acceptable	
d8THCV	0.0333	0.033	%	99.8	80.0 - 120	Acceptable	
THCVA	0.0329	0.033	%	98.6	80.0 - 120	Acceptable	
CBN	0.0330	0.033	%	99.0	90.0 - 110	Acceptable	
exo-THC	0.0309	0.033	%	92.8	80.0 - 120	Acceptable	
d9THC	0.0331	0.033	%	99.2	90.0 - 110	Acceptable	
d8THC	0.0293	0.033	%	87.9	80.0 - 120	Acceptable	
CBL	0.0294	0.033	%	88.3	80.0 - 120	Acceptable	
CBC	0.0323	0.033	%	96.8	80.0 - 120	Acceptable	
THCA	0.0331	0.033	%	99.4	90.0 - 110	Acceptable	
CBCA	0.0332	0.033	%	99.7	80.0 - 120	Acceptable	
CBLA	0.0326	0.033	%	97.9	80.0 - 120	Acceptable	
CBT	0.0322	0.033	%	96.7	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBDV	< LOQ	0.003	%	< 0.003	Acceptable	
CBE	< LOQ	0.003	%	< 0.003	Acceptable	
CBDA	< LOQ	0.003	%	< 0.003	Acceptable	
CBGA	< LOQ	0.003	%	< 0.003	Acceptable	
CBG	< LOQ	0.003	%	< 0.003	Acceptable	
CBD	< LOQ	0.003	%	< 0.003	Acceptable	
THCV	< LOQ	0.003	%	< 0.003	Acceptable	
d8THCV	< LOQ	0.003	%	< 0.003	Acceptable	
THCVA	< LOQ	0.003	%	< 0.003	Acceptable	
CBN	< LOQ	0.003	%	< 0.003	Acceptable	
exo-THC	< LOQ	0.003	%	< 0.003	Acceptable	
d9THC	< LOQ	0.003	%	< 0.003	Acceptable	
d8THC	< LOQ	0.003	%	< 0.003	Acceptable	
CBL	< LOQ	0.003	%	< 0.003	Acceptable	
CBC	< LOQ	0.003	%	< 0.003	Acceptable	
THCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBCA	< LOQ	0.003	%	< 0.003	Acceptable	
CBLA	< LOQ	0.003	%	< 0.003	Acceptable	
CBT	< LOQ	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2203283**

Sample Duplicate Sample ID: **22-003906-0005-01**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	0.00382	0.00387	0.003	%	1.30	< 20	Acceptable	
CBE	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBDA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBG	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBD	1.51	1.52	0.003	%	0.599	< 20	Acceptable	
THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBN	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
d8THC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBL	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBC	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
THCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	
CBT	< LOQ	< LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Revision: Document ID:
Legacy ID: Effective:

Laboratory Quality Control Results

Residual Solvents **Batch ID:** 2203504

Method Blank					Laboratory Control Sample							
Analyte	**Result**		**LOQ**	**Notes**	**Result**	**Spike**	**Units**	**% Rec**	**Limits**			**Notes**
Propane	ND	<	200		470	572	µg/g	82.2	60	-	120	
Isobutane	ND	<	200		686	731	µg/g	93.8	60	-	120	
Butane	ND	<	200		704	731	µg/g	96.3	60	-	120	
2,2-Dimethylpropane	ND	<	200		877	936	µg/g	93.7	60	-	120	
Methanol	ND	<	200		1550	1620	µg/g	95.7	60	-	120	
Ethylene Oxide	ND	<	30		59.7	56.2	µg/g	106.2	60	-	120	
2-Methylbutane	ND	<	200		1580	1620	µg/g	97.5	60	-	120	
Pentane	ND	<	200		1550	1610	µg/g	96.3	60	-	120	
Ethanol	ND	<	200		1570	1630	µg/g	96.3	70	-	130	
Ethyl Ether	ND	<	200		1510	1620	µg/g	93.2	60	-	120	
2,2-Dimethylbutane	ND	<	30		163	174	µg/g	93.7	60	-	120	
Acetone	ND	<	200		1620	1650	µg/g	98.2	60	-	120	
2-Propanol	ND	<	200		1530	1610	µg/g	95.0	60	-	120	
Ethyl Formate	ND	<	500		1380	1600	µg/g	86.3	70	-	130	
Acetonitrile	ND	<	100		476	498	µg/g	95.6	60	-	120	
Methyl Acetate	ND	<	500		1490	1610	µg/g	92.5	70	-	130	
2,3-Dimethylbutane	ND	<	30		167	176	µg/g	94.9	60	-	120	
Dichloromethane	ND	<	60		478	510	µg/g	93.7	60	-	120	
2-Methylpentane	ND	<	30		162	176	µg/g	92.0	60	-	120	
MTBE	ND	<	500		1420	1600	µg/g	88.8	70	-	130	
3-Methylpentane	ND	<	30		160	175	µg/g	91.4	60	-	120	
Hexane	ND	<	30		164	177	µg/g	92.7	60	-	120	
1-Propanol	ND	<	500		1490	1610	µg/g	92.5	70	-	130	
Methylethylketone	ND	<	500		1450	1600	µg/g	90.6	70	-	130	
Ethyl acetate	ND	<	200		1540	1630	µg/g	94.5	60	-	120	
2-Butanol	ND	<	200		1480	1620	µg/g	91.4	60	-	120	
Tetrahydrofuran	ND	<	100		455	500	µg/g	91.0	60	-	120	
Cyclohexane	ND	<	200		1440	1620	µg/g	88.9	60	-	120	
2-methyl-1-propanol	ND	<	500		1250	1620	µg/g	77.2	70	-	130	
Benzene	ND	<	1		4.58	5.32	µg/g	86.1	60	-	120	
Isopropyl Acetate	ND	<	200		1500	1620	µg/g	92.6	60	-	120	
Heptane	ND	<	200		1530	1770	µg/g	86.4	60	-	120	
1-Butanol	ND	<	500		1180	1600	µg/g	73.8	70	-	130	
Propyl Acetate	ND	<	500		1460	1600	µg/g	91.3	70	-	130	
1,4-Dioxane	ND	<	100		425	504	µg/g	84.3	60	-	120	
2-Ethoxyethanol	ND	<	30		176	181	µg/g	97.2	60	-	120	
Methylisobutylketone	ND	<	500		1320	1610	µg/g	82.0	70	-	130	
3-Methyl-1-butanol	ND	<	500		1220	1610	µg/g	75.8	70	-	130	
Ethylene Glycol	ND	<	200		424	494	µg/g	85.8	60	-	120	
Toluene	ND	<	200		433	491	µg/g	88.2	60	-	120	
Isobutyl Acetate	ND	<	500		1430	1600	µg/g	89.4	70	-	130	
1-Pentanol	ND	<	500		1330	1610	µg/g	82.6	70	-	130	
Butyl Acetate	ND	<	500		1130	1610	µg/g	70.2	70	-	130	
Ethylbenzene	ND	<	200		865	973	µg/g	88.9	60	-	120	
m,p-Xylene	ND	<	200		873	996	µg/g	87.7	60	-	120	
o-Xylene	ND	<	200		876	973	µg/g	90.0	60	-	120	
Cumene	ND	<	30		148	170	µg/g	87.1	60	-	120	
Anisole	ND	<	500		1130	1610	µg/g	70.2	70	-	130	
DMSO	ND	<	500		1450	1630	µg/g	89.0	70	-	130	
1,2-dimethoxyethane	ND	<	50		147	164	µg/g	89.6	70	-	130	
Triethylamine	ND	<	500		1250	1600	µg/g	78.1	70	-	130	
N,N-dimethylformamide	ND	<	150		393	497	µg/g	79.1	70	-	130	
N,N-dimethylacetamide	ND	<	150		417	498	µg/g	83.7	70	-	130	
Pyridine	ND	<	50		151	180	µg/g	83.9	70	-	130	
1,2-Dichloroethane	ND	<	1		1.06	1	µg/g	106.0	70	-	130	
Chloroform	ND	<	1		1.06	1	µg/g	106.0	70	-	130	
Trichloroethylene	ND	<	1		0.989	1	µg/g	98.9	70	-	130	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Revision: Document ID:
Legacy ID: Effective:

QC - Sample Duplicate **Sample ID: 22-004233-0002**

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference

Units of Measure:

µg/g- Microgram per gram or ppm

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number:	22-004239/D002.R001
Report Date:	04/27/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	04/13/22 16:49

Revision: Document ID:
Legacy ID: Effective:

LOQ - Limit of Quantitation

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Revision: 3 Document ID: 3120
Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662			Units: mg/Kg						Batch ID: 2203522
Method Blank				Laboratory Control Sample					
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits		Notes
Abamectin	0.000	< 0.250		1.009	1.000	100.9	50.0	150	
Acephate	0.000	< 0.250		0.915	1.000	91.5	60.0	120	
Acequinocyl	0.000	< 1.000		3.568	4.000	89.2	40.0	160	
Acetamiprid	0.000	< 0.100		0.401	0.400	100.2	60.0	120	
Aldicarb	0.000	< 0.200		0.789	0.800	98.7	60.0	120	
Azoxystrobin	0.000	< 0.100		0.424	0.400	106.1	60.0	120	
Bifenazate	0.000	< 0.100		0.374	0.400	93.4	60.0	120	
Bifenthrin	0.000	< 0.100		0.399	0.400	99.6	50.0	150	
Boscalid	0.000	< 0.200		0.767	0.800	95.8	60.0	120	
Carbaryl	0.000	< 0.100		0.409	0.400	102.2	60.0	120	
Carbofuran	0.000	< 0.100		0.405	0.400	101.4	60.0	120	
Chlorantraniliprole	0.000	< 0.100		0.387	0.400	96.7	60.0	120	
Chlorfenapyr	0.000	< 0.500		2.111	2.000	105.6	60.0	120	
Chlorpyrifos	0.000	< 0.100		0.385	0.400	96.3	60.0	120	
Clofentezine	0.000	< 0.100		0.149	0.400	***37.3***	60.0	120	Q6
Cyfluthrin	0.000	< 0.500		1.994	2.000	99.7	50.0	150	
Cypermethrin	0.000	< 0.500		2.043	2.000	102.1	50.0	150	
Daminozide	0.000	< 0.500		0.816	2.000	***40.8***	60.0	120	Q6
Diazinon	0.000	< 0.100		0.405	0.400	101.3	60.0	120	
Dichlorvos	0.000	< 0.500		2.172	2.000	108.6	60.0	120	
Dimethoate	0.000	< 0.100		0.407	0.400	101.7	60.0	120	
Ethoprophos	0.000	< 0.100		0.397	0.400	99.2	60.0	120	
Etofenprox	0.000	< 0.200		0.797	0.800	99.7	50.0	150	
Etoxazole	0.000	< 0.100		0.404	0.400	101.0	60.0	120	
Fenoxycarb	0.000	< 0.100		0.371	0.400	92.8	60.0	120	
Fenpyroximate	0.000	< 0.200		0.820	0.800	102.5	60.0	120	
Fipronil	0.000	< 0.200		0.846	0.800	105.7	60.0	120	
Flonicamid	0.000	< 0.250		0.953	1.000	95.3	60.0	120	
Fludioxonil	0.000	< 0.200		0.809	0.800	101.1	50.0	150	
Hexythiazox	0.000	< 0.250		0.975	1.000	97.5	60.0	120	
Imazalil	0.000	< 0.100		0.356	0.400	89.0	60.0	120	
Imidacloprid	0.000	< 0.200		0.772	0.800	96.5	60.0	120	
Kresoxim-methyl	0.000	< 0.200		0.747	0.800	93.4	60.0	120	
Malathion	0.000	< 0.100		0.373	0.400	93.3	60.0	120	
Metalaxyl	0.000	< 0.100		0.374	0.400	93.4	60.0	120	
Methiocarb	0.000	< 0.100		0.390	0.400	97.4	60.0	120	
Methomyl	0.000	< 0.200		0.594	0.800	74.2	60.0	120	
MGK-264	0.000	< 0.100		0.367	0.400	91.7	50.0	150	
Myclobutanil	0.000	< 0.100		0.364	0.400	91.0	60.0	120	
Naled	0.000	< 0.250		0.276	1.000	***27.6***	50.0	150	Q6
Oxamyl	0.000	< 0.500		1.783	2.000	89.1	60.0	120	
Paclobutrazole	0.000	< 0.200		0.744	0.800	93.0	60.0	120	
Parathion-Methyl	0.000	< 0.200		0.698	0.800	87.2	50.0	150	
Permethrin	0.000	< 0.100		0.413	0.400	103.2	50.0	150	
Phosmet	0.000	< 0.100		0.364	0.400	90.9	50.0	150	
Piperonyl butoxide	0.000	< 0.500		2.188	2.000	109.4	60.0	120	
Prallethrin	0.000	< 0.100		0.345	0.400	86.3	60.0	120	
Propiconazole	0.000	< 0.200		0.779	0.800	97.4	60.0	120	
Propoxur	0.000	< 0.100		0.410	0.400	102.6	60.0	120	
Pyrethrin (Summe)	0.011	< 0.100		0.360	0.413	87.1	60.0	120	
Pyridaben	0.000	< 0.100		0.383	0.400	95.7	50.0	150	
Spinosad	0.000	< 0.100		0.415	0.388	107.1	50.0	150	
Spiromesifen	0.000	< 0.100		0.393	0.400	98.2	60.0	120	
Spirotetramat	0.000	< 0.100		0.377	0.400	94.2	60.0	120	
Spiroxamine	0.000	< 0.200		0.729	0.800	91.2	60.0	120	
Tebuconazole	0.000	< 0.200		0.735	0.800	91.9	60.0	120	
Thiacloprid	0.000	< 0.100		0.392	0.400	98.1	60.0	120	
Thiamethoxam	0.000	< 0.100		0.323	0.400	80.6	60.0	120	
Trifloxystrobin	0.000	< 0.100		0.404	0.400	100.9	60.0	120	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Revision: 3 Document ID: 3120
Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662 | **Units:** mg/Kg | **Batch ID:** 2203522

Matrix Spike/Matrix Spike Duplicate Recoveries | **Sample ID:** 22-004395-0001

Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit	MS % Rec	MSD % Rec	Limits	Notes
Abamectin	0.000	0.988	0.975	1.000	1.4%	< 30	98.8%	97.5%	50 - 150	
Acephate	0.000	0.918	0.895	1.000	2.5%	< 30	91.8%	89.5%	50 - 150	
Acequinocyl	0.000	3.429	3.441	4.000	0.3%	< 30	85.7%	86.0%	50 - 150	
Acetamiprid	0.000	0.391	0.395	0.400	1.0%	< 30	97.7%	98.7%	50 - 150	
Aldicarb	0.000	0.751	0.748	0.800	0.4%	< 30	93.9%	93.5%	50 - 150	
Azoxystrobin	0.000	0.402	0.429	0.400	6.6%	< 30	100.5%	107.3%	50 - 150	
Bifenazate	0.000	0.385	0.361	0.400	6.5%	< 30	96.2%	90.2%	50 - 150	
Bifenthrin	0.000	0.417	0.419	0.400	0.5%	< 30	104.3%	104.8%	50 - 150	
Boscalid	0.000	0.780	0.722	0.800	7.7%	< 30	97.5%	90.3%	50 - 150	
Carbaryl	0.000	0.394	0.395	0.400	0.3%	< 30	98.5%	98.8%	50 - 150	
Carbofuran	0.000	0.380	0.379	0.400	0.2%	< 30	94.9%	94.7%	50 - 150	
Chlorantraniliprole	0.000	0.411	0.410	0.400	0.2%	< 30	102.7%	102.5%	50 - 150	
Chlorfenapyr	0.000	1.730	1.732	2.000	0.1%	< 30	86.5%	86.6%	50 - 150	
Chlorpyrifos	0.000	0.250	0.259	0.400	3.5%	< 30	62.5%	64.7%	50 - 150	
Clofentezine	0.000	0.094	0.090	0.400	3.8%	< 30	23.5%	22.6%	50 - 150	Q
Cyfluthrin	0.000	2.108	2.064	2.000	2.1%	< 30	105.4%	103.2%	30 - 150	
Cypermethrin	0.000	2.001	1.993	2.000	0.4%	< 30	100.1%	99.7%	50 - 150	
Daminozide	0.054	0.883	0.872	2.000	1.3%	< 30	41.4%	40.9%	30 - 150	
Diazinon	0.000	0.373	0.370	0.400	0.8%	< 30	93.2%	92.4%	50 - 150	
Dichlorvos	0.000	1.961	1.969	2.000	0.4%	< 30	98.0%	98.4%	50 - 150	
Dimethoate	0.000	0.372	0.371	0.400	0.4%	< 30	93.0%	92.7%	50 - 150	
Ethoprophos	0.000	0.410	0.396	0.400	3.4%	< 30	102.4%	99.0%	50 - 150	
Etofenprox	0.000	0.768	0.772	0.800	0.6%	< 30	95.9%	96.5%	50 - 150	
Etoxazole	0.000	0.426	0.411	0.400	3.5%	< 30	106.5%	102.8%	50 - 150	
Fenoxycarb	0.000	0.356	0.354	0.400	0.6%	< 30	89.0%	88.4%	50 - 150	
Fenpyroximate	0.000	0.868	0.864	0.800	0.4%	< 30	108.5%	108.1%	50 - 150	
Fipronil	0.000	0.844	0.812	0.800	3.9%	< 30	105.5%	101.5%	50 - 150	
Flonicamid	0.000	1.001	0.952	1.000	5.0%	< 30	100.1%	95.2%	50 - 150	
Fludioxonil	0.000	0.762	0.761	0.800	0.1%	< 30	95.2%	95.1%	50 - 150	
Hexythiazox	0.000	0.853	0.879	1.000	3.0%	< 30	85.3%	87.9%	50 - 150	
Imazalil	0.034	0.348	0.344	0.400	1.6%	< 30	78.6%	77.4%	50 - 150	
Imidacloprid	0.000	0.829	0.807	0.800	2.7%	< 30	103.7%	100.9%	50 - 150	
Kresoxim-methyl	0.000	0.752	0.751	0.800	0.2%	< 30	94.0%	93.9%	50 - 150	
Malathion	0.000	0.376	0.368	0.400	2.3%	< 30	94.1%	92.0%	50 - 150	
Metalaxyl	0.000	0.367	0.357	0.400	2.6%	< 30	91.7%	89.3%	50 - 150	
Methiocarb	0.000	0.377	0.368	0.400	2.5%	< 30	94.3%	92.0%	50 - 150	
Methomyl	0.000	0.809	0.735	0.800	9.5%	< 30	101.1%	91.9%	50 - 150	
MGK-264	0.000	0.426	0.409	0.400	4.2%	< 30	106.6%	102.2%	50 - 150	
Myclobutanil	0.000	0.350	0.340	0.400	3.0%	< 30	87.5%	84.9%	50 - 150	
Naled	0.016	0.775	0.764	1.000	1.4%	< 30	75.9%	74.8%	50 - 150	
Oxamyl	0.000	2.057	1.742	2.000	16.6%	< 30	102.8%	87.1%	50 - 150	
Paclobutrazole	0.000	0.723	0.719	0.800	0.5%	< 30	90.4%	89.9%	50 - 150	
Parathion-Methyl	0.000	0.599	0.572	0.800	4.6%	< 30	74.8%	71.5%	30 - 150	
Permethrin	0.000	0.397	0.377	0.400	5.2%	< 30	99.2%	94.2%	50 - 150	
Phosmet	0.000	0.372	0.369	0.400	0.9%	< 30	93.1%	92.2%	50 - 150	
Piperonyl butoxide	49.777	51.123	49.473	2.000	316.7%	< 30	67.3%	-15.2%	50 - 150	R, Q3
Prallethrin	0.000	0.395	0.398	0.400	0.6%	< 30	98.7%	99.4%	50 - 150	
Propiconazole	0.000	0.393	0.385	0.800	2.0%	< 30	49.1%	48.1%	50 - 150	Q
Propoxur	0.000	0.378	0.380	0.400	0.6%	< 30	94.6%	95.1%	50 - 150	
Pyrethrin (Summe)	2.030	2.169	2.057	0.413	135.3%	< 30	33.5%	6.5%	50 - 150	R, Q3
Pyridaben	0.000	0.387	0.384	0.400	0.8%	< 30	96.8%	96.0%	50 - 150	
Spinosad	0.004	0.420	0.414	0.388	1.5%	< 30	107.2%	105.6%	50 - 150	
Spiromesifen	0.000	0.352	0.351	0.400	0.4%	< 30	88.0%	87.7%	50 - 150	
Spirotetramat	0.000	0.372	0.366	0.400	1.7%	< 30	93.1%	91.5%	50 - 150	
Spiroxamine	0.000	0.712	0.708	0.800	0.6%	< 30	89.0%	88.5%	50 - 150	
Tebuconazole	0.000	0.607	0.607	0.800	0.1%	< 30	75.9%	75.9%	50 - 150	
Thiacloprid	0.000	0.359	0.356	0.400	0.8%	< 30	89.7%	89.0%	50 - 150	
Thiamethoxam	0.000	0.380	0.294	0.400	25.4%	< 30	94.9%	73.5%	50 - 150	
Trifloxystrobin	0.000	0.336	0.341	0.400	1.2%	< 30	84.1%	85.2%	50 - 150	

Columbia LABORATORIES
A Tentamus Company

12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-004239/D002.R001
Report Date: 04/27/2022
ORELAP#: OR100028
Purchase Order:
Received: 04/13/22 16:49

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.